

International Journal of Scientific Research and Reviews

Estimation of Sulphite Using Sodium Nitroprusside By A Newer Photochemical Method

Bhatt Hardik¹ and Sharma Ajay^{2*}

¹Department of Chemistry, R.K. University, Rajkot-360020, Gujarat, India.

²Department of Chemistry, Government College, Sirohi-307001, Rajasthan, India.

*Email: hardik.bhatt@rku.ac.in

ABSTRACT

In these present investigation, photochemical ligand exchange reaction of sulphite and sodium nitroprusside has been studied. There are several different methods for determination of sulphite but as compare to other these new method is an economical, quicker and appropriate quantitative method. SNP (sodium nitroprusside) is one of the common photo labile complex which undergoes photochemical ligand exchange reaction with organic as well as inorganic ions swiftly. To estimate sulphur, nitrogen containing anions and electron opulent organic molecules, some recent determinations have been made to develop such reaction. The progress of the reaction is observed by spectrophotometric analysis. The outcome of reaction parameters i.e. effects of pH, concentration of SNP (sodium nitroprusside), intensity of light, ligand concentration, etc. was studied. The determinations were made to minimize the percentage error and some optimum conditions were achieved. Such reaction can be used for the determination of sulphite in the range of millimoles to micromoles; hereafter it is significant to know whether such assessments can be done effectively and that too with the desired precision.

KEYWORDS: Sulphite, sodium nitroprusside, photochemical reaction, % error

***Corresponding author**

Ajay Sharma

Department of Chemistry,
Government College,
Sirohi-307001, Rajasthan, India.
[Email:hardik.bhatt@rku.ac.in](mailto:hardik.bhatt@rku.ac.in)

INTRODUCTION

Photosensitized reactions are commonly used in various biological and technical field. Inorganic chemist may seek an improved understanding through the example that photochemistry gives the relationship between reactivity and electronic and molecular structure¹. Wayne and Burrows *et al.*² have reported photosensitized reactions like copolymerization. In photochemistry, the excited states of atoms play an important role.

Nemonoet *al.*³ have used Pt/TiO₂ nanoparticles for the study of Photocatalytic decomposition of NH₃ to N₂ and H₂ in aqueous solution. Photodegradation and adsorption of 1,4-dioxane on titanium dioxide have been carried out by Yamazaki *et al.*⁴. Kiselev *et al.*⁵ have used dry and wet rutile titanium dioxide for the photodegradation and adsorption of di-isopropyl fluorophosphate and dimethyl phosphonate. Fe promoted photodegradation of microcystin-LR using TiO₂ have been studied by Yuan *et al.*⁶.

TiO₂/Pt nanoparticles has been studied by physiochemical and photocatalytic characterization by Liu *et al.*⁷. TiO₃-TiO₂ composite material has been used for photocatalytic bleaching of methylene blue by Udea⁸ and Otsuka. Maldonado *et al.*⁹ have reported the comparative study of Fenton plus photo-Fenton and titanium dioxide. Liu *et al.*¹⁰ have investigated treatment of waste water by photodegradation using U.V./TiO₂. The effect of inorganic anions has been observed by Zhu *et al.*¹¹ on photocatalytic oxidation of aqueous ammonia and nitrite by using titanium dioxide.

Tsujiet *al.*¹² have studied Pb-doped ZnS over H₂ evolution from an aqueous K₂SO₃ solution under visible-light irradiation ($\lambda > 420$ nm) to check the photocatalytic activity. Wetchakunet *al.*¹³ reported that 2.0 % Fe-doped ZnS sample possess the maximum degradation activity because of the presence of Fe in ideal amount and the rise of surface area and light in UV region. Fe loaded ZnS nanoparticles (Zn_{1-x}Fe_xS; where x = 0.00, 0.03, 0.05 and 0.10) synthesized via chemical precipitation method by Chauhan *et al.*¹⁴. They found that the Fe loaded ZnS bleaches Methylene Blue considerable faster as compared to unloaded ZnS upon its exposure to the visible light than UV light.

Kauret *al.*¹⁵ have prepared transition metal doped ZnO nanoparticles and ZnO(Zn_{0.99}M_{0.01}O; M=Mn, Cu, Ni and Co) by thermally decomposition of their oxalate precursor. A series of W-doped ZnO nanoparticles with dissimilar tungsten content has been synthesized via sol-gel method by Moafiet *al.*¹⁶. The photocatalytic behaviour of W-doped ZnO and undoped ZnO was investigated by photodegradation of methylene blue in aqueous solution.

A novel Al-doped ZnO (AZO) photocatalysts has been synthesized by Omidiet *al.*¹⁷ with dissimilar aluminum concentration (0.5–6.0 mol%) via a facile combustion process followed by calcination process at 500 °C for 3 hour. The photocatalytic behaviour of the samples were

investigated by photodegradation of methyl orange under visible and sunlight radiation. Huang *et al.*¹⁸ have synthesized Bi₂S₃ nanostructures to study their photocatalytic activities in organic dyes degradation.

Gao *et al.*¹⁹ have prepared hierarchical BiOCl microspheres. BiOCl showed very high photodegradation rate over Carbamazepine. Pala *et al.*²⁰ studied photocatalytic degradation of cyanide in waste water using new generated nanofilm photocatalyst (K₂La₂Ti₃O₁₀, KLTO). Marchena *et al.*²¹ have reported ZSM-5 and ammonium-Y encapsulated tungstophosphoric acid (TPA). The encapsulation of TPA on NH₄Y and NH₄ZSM5 zeolites is an efficient method to prepare catalysts with good photocatalytic activity over degradation of 4-chlorophenol. Photocatalytic degradation of 4-chlorophenol have been studied by Nguyen and Juang²² over H₂O₂/TiO₂ hybrid in aqueous medium under irradiation.

MATERIALS AND METHODS

Experimental

Stock solutions have been prepared by dissolving 0.126 g of sulphite (0.01M) and 0.297 g of sodium nitroprusside (0.01M) separately in 100 mL doubly distilled water. 20 mL stock solution of sodium nitroprusside was diluted to 100 mL to form M/500 concentration. Further it was divided into five equal sets so that each set contain 20 mL solution. In each beaker, 0.4 mL, 0.8 mL, 1.2 mL, 1.6 mL and 2.0 mL solution of sulphite (M/100) was added. Further, all the sets were exposed to a 200-watt tungsten (W)-lamp for ¼ hour. As a result, the colour of solution was changed to peacock blue from light red.

5.0 mL sample solution was taken out from each set and change in optical density has been checked spectrophotometrically ($\lambda_{\max} = 620$ nm).

A graph of optical density to known concentration of sulphite ion has been plotted i.e. [8.23 x 10⁻⁴ M, 7.42 x 10⁻⁴ M, 5.66 x 10⁻⁴ M, 3.84 x 10⁻⁴ M, 2.91 x 10⁻⁴ M, 1.96 x 10⁻⁴ M].

1.0 mL sulphite solution of known concentration was mixed with 20 mL of sodium nitroprusside (M/500). As prepared reaction mixture was exposed to W-lamp under ideal environments. The optical density was checked spectrophotometric analysis and calibration curve has been made in order to check the sample concentration. The percentage error was found from determined concentration for sulphite solution.

RESULT AND DISCUSSION

Effect of pH

The photochemical reaction of sulphite ion with sodium nitroprusside may be influenced by the change in value of pH. Hence, the effect of pH was examined on determination of sulphite at various pH range. The results are given in Table 1.

Table 1 Effect of pH*

S. No	pH	Error (%)
1	1.6	2.8
2	1.8	2.0
3	2.1	1.4
4	2.5	2.2
5	3.0	2.8
6	3.5	3.2
7	4.0	4.0
8	5.0	4.4
9	6.0	4.6
10	7.0	4.8

*[SNP] = 1.04×10^{-2} M, Light Intensity = 12.0 mWcm^{-2} , [Sulphite] = 9.52×10^{-3} M, λ_{max} = 620 nm




Figure 1- Effect of pH

As per the data, the pH found for least error is 2.1 i.e. 1.4 which is in acceptable range and the pK_{a1} and pK_{a2} for sulphuric acid are 1.89 and 7.21 respectively. At pH = 2.1 the sulphurous acid exists as HSO_3^- ion rather than SO_3^{2-} ion. Hence HSO_3^- ion enters in the coordination sphere of

sodium nitroprusside to form complex rather than SO_3^{2-} ion. Above $\text{pH} = 2.1$ again the percentage error increases because of decreasing concentration of HSO_3^- as compared to SO_3^- ion.

EFFECT OF CONCENTRATION OF SULPHITE

The effect of sulphite ion concentration has been checked by taking various concentration of sulphite ion by keeping other parameters fixed. The results are given in Table 2.

Table 2 Effect of concentration of sulphite*

S. No	[Sulphite] x 10^{-3} M	Error (%)
1	7.14	3.2
2	7.50	2.9
3	7.93	2.5
4	8.73	1.9
5	9.02	1.6
6	9.52	1.4
7	10.10	2.0
8	10.31	2.8
9	10.71	3.6
10	11.50	4.0

*Light Intensity = 12.0 mWcm^{-2} , $\lambda_{\text{max}} = 620 \text{ nm}$




Figure 2- Effect of concentration of sulphite

The minimum error found in the sulphite ion determination is at $9.52 \times 10^{-3} \text{M}$ concentration of sulphite ion i.e. 1.4% which is in acceptable range.

The complex formation tendency increases upon increasing the concentration of sulphite ion. Therefore, the percentage error for determination of sulphite was found minimum. Upon increase the concentration above $9.52 \times 10^{-3} \text{M}$, the movement of sulphite ions inhibits due to its higher concentration. It results in the increase of percentage error.

EFFECT OF CONCENTRATION OF SODIUM NITROPRUSSIDE

The effect of concentration of sodium nitroprusside in the determination of sulphite ion has been examined. Various concentration of sodium nitroprusside has been taken by keeping other parameters fixed. The results are given in Table 3.

Table 3 Effect of concentration of sodium nitroprusside*

S. No	[SNP] x 10 ⁻² M	Error (%)
1	0.88	3.8
2	0.91	3.6
3	0.94	3.0
4	0.98	2.6
5	1.01	2.0
6	1.04	1.4
7	1.07	2.2
8	1.09	2.8
9	1.11	3.3
10	1.12	4.0
11	1.14	4.2

*[Sulphite] = $9.52 \times 10^{-3} \text{M}$, pH = 2.1, Light Intensity = 12.0 mWcm^{-2} , $\lambda_{\text{max}} = 620 \text{ nm}$




Figure 3 Effect of concentration of sodium nitroprusside

The minimum error in the sulphiteion determination is found at 1.04×10^{-2} M sodium nitroprusside concentration i.e. only 1.4% which is in acceptable range.

The tendency of complex formation increases as the concentration of sodium nitroprusside increases. Upon increasing the sodium nitroprusside concentration above 1.04×10^{-2} M, it acts like internal filter and will not permit the desired light intensity to reach sodium nitroprusside molecule in the bulk of the solution. As a result,small number of sodium nitroprusside molecule will be excited to contribute in the formation of complex, which causes the rise in percentage error.

EFFECT OF LIGHT INTENSITY

The effect of light intensity in the sulphitedetermination has been checked by changing the distance between W-lamp and the exposed exterior part of the reaction mixture. The result is given in Table 4.

Table 4 Effect of light intensity

S. No	Light Intensity (mWcm ⁻²)	Error (%)
1	6.0	5.6
2	7.0	5.0
3	8.0	4.8
4	9.0	3.8
5	10.0	2.6
6	11.0	2.0
7	12.0	1.4
8	13.0	1.4
9	14.0	1.4
10	15.0	1.4
11	16.0	1.4

[Sulphite] = 9.52×10^{-3} M, [SNP] = 1.04×10^{-2} M, pH = 2.1, λ_{max} = 620 nm




Figure 4 Effect of light intensity

In the determination of sulphite ion, the minimum error is found at 12.0 mWcm⁻² intensity of W-lamp, i.e. 1.4% which is inacceptable range.

Upon increasing the light intensity, the number of photons striking per unit area per second was increased too. Therefore, formation of complex became easier upon increasing light intensity. Further, increase in light intensity above 12.0 mWcm⁻², the error remained constant. It indicates that the 12.0 mWcm⁻² light intensity is enough for the maximum complex formation.

OPTIMUM CONDITIONS

The photochemical reactions of sulphite ion were carried out by taking sodium nitroprusside. It has been found that following condition is ideal for the determination of sulphite ion as it gives only 1.4% error, which is inacceptable range.

- (i) pH = 2.1
- (ii) [Sulphite] = 9.52 x 10⁻³M
- (iii) [Sodium Nitroprusside] = 1.04 x 10⁻²M
- (iv) Light Intensity = 12.0 mWcm⁻²

CONCLUSIONS

Determination of sulphite was done by performing photochemical reaction using sodium nitroprusside. The reaction progress was checked spectrophotometrically. The effects of various reaction parameters i.e. pH, sulphite ions concentration, sodium nitroprusside concentration and light intensity were checked to improve the reaction conditions. Optimum reaction condition found for the determination of sulphite ion is 2.1 pH, 1.04 x 10⁻²M concentration of sodium nitroprusside, 9.52 x 10⁻³M concentration of sulphite ion and 12.0 mWcm⁻² light Intensity.

ACKNOWLEDGEMENTS

We express our gratitude to the authority of Government College, Sirohi, Rajasthan, India for providing the laboratory facilities.

REFERENCES

1. Rohatagi KK, Mukherji, Fundamental of Photochemistry Wiley Eastern Limited: New Delhi; 1997.
2. Burrows HD, Formosinho SJ, Sarvaiva PM, Photo-oxidation of poly(vinyl alcohol) by uranyl ion: a route to photoinitiated graft copolymerization, J. Photochem. Photobiol., 1992;63: 67-73.

3. Nemoto J, Gokan N, Ueno H, Kaneko M, Photodecomposition of ammonia to dinitrogen and dihydrogen on platinized TiO₂nanoparticules in an aqueous solution, *J. Photochem. Photobiol.* 2007;185: 295-300.
4. Yamazaki S, Yamabe N, Nagano S, Fukuda A, Adsorption and photocatalytic degradation of 1,4-dioxane on TiO₂, *J. Photochem. Photobiol.* 2007; 185: 150-155.
5. Kiselev A, Mattson A, Andersson M, Adsorption and photocatalytic degradation of diisopropyl fluorophosphate and dimethyl methylphosphonate over dry and wet rutile TiO₂, *J. Photochem. Photobiol.* 2006; 184: 125-134.
6. Yuan BL, Li YB, Huang XD, Fe(VI)-assisted photocatalytic degradating of microcystin-LR using titanium dioxide. *J. Photochem. Photobiol.* 2006; 178: 106-111.
7. Liu C, Hsieh YH, Lai PF, Li CH, Kao CL, Photodegradation treatment of azo dye wastewater by UV/TiO₂ process. *Dyes and Pigments.* 2006; 68: 191-195.
8. Otsuka S, Udea M, Visible light-induced photobleaching of methylene blue aqueous solution using (Sr_{1-x}La_x)TiO_{3+δ}-TiO₂ composite powder, *J. Photochem. Photobiol.* 2004; 168: 1-6.
9. Maldonado MI, Passarinho PC, Oller I, Photocatalytic degradation of EU priority substances: A comparison between TiO₂ and Fenton plus photo-Fenton in a solar pilot plant, *J. Photochem. Photobiol.* 2007; 185: 354-363.
10. Liu ZL, Guo B, Hong L, Jiang H, Physicochemical and photocatalytic characterizations of TiO₂/Pt nanocomposites. *J. Photochem. Photobiol.* 2005; 172 A: 81-88.
11. Zhu XD, Nanny MA, Butter EC, Effect of inorganic anions on the titanium dioxide-based photocatalytic oxidation of aqueous ammonia and nitrite, *J. Photochem. Photobiol.* 2007; 185: 289-294.
12. Tsuji I, Kudo A, H₂ evolution from aqueous sulfite solutions under visible-light irradiation over Pb and halogen-codoped ZnS photocatalysts *J. Photochem. Photobiol.* 2003;156: 249–252.
13. Wetchakun N, Incessungvorn B, Wetchakun K, Phanichphant S, Photocatalytic mineralization of carboxylic acids over Fe-loaded ZnS nanoparticles. *Mater. Res. Bull.* 2013; 48: 1668-1674.
14. Chauhan R, Kumar A, Chaudhary RP, Photocatalytic degradation of methylene blue with Fe doped ZnS nanoparticles. *Spectrochim. Acta, Part A,* 2013; 113: 250-256.
15. Kaur J, Singhal S, Facile synthesis of ZnO and transition metal doped ZnO nanoparticles for the photocatalytic degradation of Methyl Orange. *Ceram. Int.* 2014; 40: 7417–7424.
16. Moafi HF, Zanjanchi MA, Shojaie AF, Tungsten-doped ZnO nanocomposite: Synthesis, characterization, and highly active photocatalyst toward dye photodegradation. *Mater. Chem. Phys.* 2013; 139: 856–864.

17. Omidi A, Yangjeh AH, Pirhashemi M, Application of ultrasonic irradiation method for preparation of ZnO nanostructures doped with Sb³⁺ ions as a highly efficient photocatalyst. *Appl. Surf. Sci.* 2013; 276: 468–475.
 18. J. Huang, H. Zhang, X. Zhou, X. Zhang, Dimensionality-dependent performance of nanostructured bismuth sulfide in photodegradation of organic dyes. *Mater. Chy. And Phy.* 2013; 138: 755-761.
 19. Gao X, Zhang X, Wang Y, Peng S, Yue B, Fan C, Rapid synthesis of hierarchical BiOCl microspheres for efficient photocatalytic degradation of carbamazepine under simulated solar irradiation. *Chem. Eng. Journ.* 2015; 263: 419-426.
 20. Pala A, Politi RR, Kursun G, Erol M, Buckul F, Oner G, Celik E, Photodegradation of cyanide waste water using new generated nano-thin film Photocatalyst, *Surface and coating tech.* 2015; 271: 207-216.
 21. Marchena CL, Frenzel RA, Gomez S, Pierella LB, Pizzio LR, Tungstophosphoric acid immobilized on ammonium Y and ZSM5 zeolites: Synthesis, characterization and catalytic evaluation, *Applied Catal. B: Environ.* 2014; 130-131: 187-196.
 22. Nguyen AT, Juang RS, Photocatalytic degradation of p-chlorophenol by hybrid H₂O₂ and TiO₂ in aqueous suspensions under UV irradiation. *J. of Environ. Management.* 2014; 147: 271-277.
-