

Research article

Available online www.ijsrr.org

International Journal of Scientific Research and Reviews

A Descriptive Study to assess the Knowledge of Breast feeding problems and its management among Postnatal Mothers in a Selected Tertiary Care Hospital at Kelambamkkam ,Kanchipuram District,Tamil Nadu, India.

C. Suniliga, S. Ashwin Kumar and K. Vanitha

^{1,2}Chettinad College Of Nursing, Chettinad Academy of Research and Education, Kelambakkam, Kanchipuram, TamilNadu - 603103
³Chettinad College Of Nursing, Chettinad Academy of Research an Education, Kelambakkam, Kanchipuram, TamilNadu - 603103
Phone No: 82220327927

mail: vanitha.kaliyamoorthy@gmail.com

ABSTRACT

A descriptive study to assess the knowledge of breastfeeding problems and its management among postnatal mothers in a selected tertiary care hospital at Kelambakkam, Kanchipuram district, Tamil Nadu, India. The objectives were to assess the knowledge of breast feeding problems and its management among postnatal mothers in a selected tertiary care hospital at Kelambakkam, Kanchipuram district, Tamil Nadu, India .To find out the association between level of knowledge with demographic variables. Hypothesis of the study was -There is no significant association between demographic variables and the knowledge of breast feeding problems and its management among postnatal mothers. The convenience sampling was used to selected 30 samples. The data collection tools were validated and reliability was established. The data were collected by self-administered questionnaire. The collected data tabulated and analyzed. Descriptive and inferential statistics were used. The study showed that 3.3% of the postnatal mothers had adequate knowledge, 36.6% of postnatal mothers had moderate knowledge, and 60% of postnatal mothers had inadequate knowledge regarding breast feeding problems and its management.

KEY WORDS: Knowledge ,Breast feeding problems,Postnatal Mothers

*Corresponding Author,

K.Vanitha

Assistant Professor,

Chettinad College of Nursing,

Chettinad Academy of Research and Education,

Kelambakkam, Kanchipuram, Tamil Nadu - 603103

Subject: Obstetrics and Gynecological Nursing

Phone No: 82220327927

mail: vanitha.kaliyamoorthy@gmail.com

ISSN: 2279-0543

INTRODUCTION

Breastfeeding is an art and skills which need to be learned and mastered. This skill has to learned and followed by mothers not only to feed their infants but to avoid breastfeeding problems. Breast engorgement is a painful and unpleasant condition affecting large number of women in the early postpartum period. Severe breast engorgement can cause substantial discomfort for mothers and interfere with an infant ability to feed at the breast. Cracked nipple is a condition that can occur in breastfeeding women as a result of a number of possible causes. Flat or inverted nipples are not uncommon problems and although they should not prelude breastfeeding. Nipple pain/Tenderness or sore nipples is one of the most common issues cited by mothers in the first few days of breastfeeding. Mastitis or a poorly flowing milk can lead to an area of our breast becoming inflamed, in a painful condition called mastitis

METHODOLOGY

Research Approach

In this study, researchers assessed the knowledge of breast feeding problems and its management among postnatal mothers by using **Quantitative approach**

RESEARCH DESIGN

Descriptive research design was used for the present study.

RESEARCH SETTING

The study was conducted in Chettinad Health and Research Institute at Kelambakkam, Kanchipuram District, TamilNadu, India.

SAMPLE

All the postnatal mothers in a selected tertiary care hospital.

SAMPLING CRITERIA

Inclusion Criteria

The postnatal mothers who are within a week of pueperium Postnatal mothers available at the time of data collection in the postnatal ward The postnatal mothers who can understand Tamil

EXCULSION CRITERIA

Postnatal mothers who are not willing to participate in the study Who have problems like depression and pueperal psychosis

SAMPLING TECHNIQUE

The convenience sampling technique was adopted for this study.

SAMPLE SIZE

The sample size=30

DESCRIPTION OF THE TOOL

DATA COLLECTION TOOL

A self-administered questionnaire was used as a tool for data collection .It was consisted the following parts.

PART A

A description of the demographic characteristics of the sample like Age, Parity, Educational status, Previous Experience.

PART-B

Question to assess the knowledge of breast feeding problems and its management among postnatal mothers which contains 15 questions, Each sample has taken 10 minutes to fill up.

SCORE AND INTERPRETATION

Total number of knowledge question-15 Each correct answer was given 1 mark.

SCORE	LEVEL OF KNOWLEDGE
75 and above	Adequate knowledge
51-75%	Moderate knowledge
Below 50%	Inadequate knowledge

DATA COLLECTION PROCEDURE

The researcher got prior permission and consent was obtained from sample. After getting permission, the questionnaire given to them. They read the questionnaire carefully and answered. Duration of data collection was 1 week.

ETHICAL CONSIDERATION

UG Committee clearance obtained. Ethical clearance was obtained from Institutional Human Ethical Committee. Prior permission from the institution was obtained. Informed consent was obtained from each sample.

FINDING AND DISCUSSION

Findings of the study were presented under the following headings based on the study objectives

OBJECTION 1.

To assess the level of knowledge of among among postnatal mothers in a selected Tertiary care hospital at Kelambakkam, Kanchipuram District, Tamil Nadu India.

The finding of the present study reveals that

1 (3.3%) of postnatal mothers had adequate knowledge

11 (36.6%) of postnatal mothers had moderate knowledge

18 (60%) of postnatal mothers had inadequate knowledge

OBJECTION 2: To associate demographic variables with the level of knowledge of breastfeeding problems and its management.

FINDING-1

Age and level of knowledge of breastfeeding problems and its management.

There was no significant association between the age and the level of knowledge of breastfeeding problems and its management x^2 =0.88, p (<0.05)

FINDING-2

Education status and level of knowledge of breastfeeding problems and its management.

There was no significant association between the Education status and the level of knowledge of breastfeeding problems and its management $x^2 = 3.65$, p (<0.05)

FINDING-3

Occupation and level of knowledge of breastfeeding problems and its management There was no significant association between the occupation and the level of knowledge of breastfeeding problems and its management x^2 =0.52, p (<0.05)

FINDING-4

Type of Family and level of knowledge of breastfeeding problems and its management.

There was no significant association between the Type of family and the level of knowledge of breastfeeding problems and its management $x^2=0.65$ p (<0.05)

DISCUSSION

The same study conducted by Anjali pushkar Tiwari et al in the year 2016 resulted that majority of the postnatal mothers had inadequate/poor knowledge regarding breastfeeding problems . In our study too the same result was found

REFERENCE

- 1. DUTTA.DC. *Text book obstetrics*, 6th edition New central book agency limited; Calcutta 2014; 532.
- 2. Lowered Milk Perry, "Maternity and women's health care," 18th edition Mosby, .920-924
- 3. Ian Donald's *Practical obstetrics problem*, 6th edition, New Delhi: BI publication Pvt Ltd, 2007.
- 4. BROWN: W E. M.D; HAGLER, Southern *Medical Journal* published by Lippincott Williams. Copyrights 2008;53(3): 548-553.

- 5. Storr GB. Prevention of nipple tenderness and breast engorgement in the postnatal period May-jun; 17(3): 203-9.
- 6. Ganguli G, Dhavan N, Mukherji K, Dayal M, Pandy RC. (1999) Prevention and management of postnatal breast complication. *The journal of Obstetrics and Gynecology of India.* 1999; 49(2):47-49.